

Recombinant Human Complement Component C5a Protein

Product Information

Product Name	Cat#	Size
Recombinant Human Complement Component C5a Protein	92587ES08	5 µg
	92587ES60	100 µg
	92587ES76	500 µg

Product Description

Human Complement 5a (C5a) is an enzymatically generated glycoprotein that belongs to a family of structurally and functionally related proteins known as anaphylatoxins. C5a is a 74 amino acid (aa) peptide that is created by the activity of C5a convertase on the C5 alpha -chain. Human C5a has four alpha -helices plus three intrachain disulfide bonds that create a triple loop structure. In serum, proteolytic processing removes the C-terminal arginine, creating a low activity C5adesArg74 molecule. Human C5a is 60% and 54% aa identical to mouse and rat C5a, respectively. C5a binds to a signaling G-protein coupled receptor (C5aR/CD88) and a nonsignaling GPCR termed C5L2. Activation of Cd88 results in neutrophil chemotaxis and endothelial cell activation. It also triggers an oxidative burst in macrophages and neutrophils, and induces release of histamine in basophils and mast cells.

Product Properties

Synonyms	CPAMD4
Accession	P01031
GeneID	727
Source	E.coli-derived Human C5a, Thr678-Arg751.
Molecular Weight	Approximately 8.3 kDa.
AA Sequence	TLQKKIEEIA AKYKHSVVKK CCYDGACVNN DETCEQRAAR ISLGPRCIKA FTECCVVASQ LRANISHKDM QLGR
Tag	None
Physical Appearance	Sterile Filtered White lyophilized (freeze-dried) powder.
Purity	> 98% by SDS-PAGE and HPLC analyses.
Biological Activity	The biological activity determined by its ability to chemoattract human monocytes using a concentration range of 1.0-10.0 ng/ml. Fully biologically active when compared to standard.
Endotoxin	< 1.0 EU per 1µg of the protein by the LAL method.
Formulation	Lyophilized from a 0.2 µm filtered concentrated solution in PBS, pH 7.4.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Reconstitute in sterile distilled water or aqueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at ≤ -20°C. Further dilutions should be made in appropriate buffered solutions.

Shipping and Storage

The products are shipped with ice pack and can be stored at -20 °C for 1 year.

1 month, 2 to 8 °C under sterile conditions after reconstitution.

3 months, -20 °C under sterile conditions after reconstitution.

Recommend to aliquot the protein into smaller quantities when first used and avoid repeated freeze-thaw cycles.

Cautions

1. Avoid repeated freeze-thaw cycles.
2. For your safety and health, please wear lab coats and disposable gloves for operation.
3. For research use only!